## NSN 5905-00-883-7476

Inductive Wire Wound Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-883-7476

Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:
-260.0/+260.0
Electrical Resistance:
2.400 kilohms
Resistance Tolerance In Percent:
-5.000/+5.000
Fixed Tap Quantity:
1
Ambient Tempurature In Deg Celsius At Full Rated Power:
25.0
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:
350.0
Tempurature Range Of Tempurature Coefficient In Deg Celsius:
-55.0/+350.0
Inclosure Method:
Encapsulated
Terminal Type:
Tab, solder lug
Reliability Indicator:
Not established
Terminal Length:
0.328 inches
Body Diameter:
0.594 inches
Body Length:
3.000 inches
Power Dissipation Rating In Watts:
23.400 free air
Terminal Width:
0.328 inches
Section Resistance:
1.200 kilohms
Fixed Tap Terminal Type:
Tab, solder lug
Style Designator:
Radial terminal each end
Test Data Document:
81349-milr26 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format
excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental
and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Shelf Life:
N/a

-

**Unit Of Measure:** 

## NSN 5905-00-883-7476

Inductive Wire Wound Fixed Resistor - Page 2 of 2



D	:1:4.	-:-	-4:-	
Dem	HIT	arız	atıc	on:

No

Fiig:

A001a0