NSN 5905-00-884-1455

Section Quantity:

Reliability Indicator:

Not established

Overall Length:
1.312 inches

Overall Height:
0.953 inches

Overall Width:
0.953 inches

Rectangular w/mounting holes/slots

Body Style:

1

Nonprecision Nonwire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-884-1455

Shaft Diameter:
Between 0.109 inches and 0.141 inches
Shaft Length:
Between 0.046 inches and 0.078 inches
Body Length:
Between 1.234 inches and 1.266 inches
Body Width:
Between 0.234 inches and 0.266 inches
Body Height:
Between 0.343 inches and 0.375 inches
Shaft Style:
Round, cross slotted
Actuator Type:
Single shaft
Center To Center Distance Between Terminals:
0.700 inches
Terminal Location:
Lower adjacent side single row
Mounting Method:
Terminal
Center To Center Distance Between Terminal Rows:
0.100 inches
Features Provided:
Nonmetallic shaft
Electrical Resistance Per Section:
1.000 kilohms single section
Center To Center Distance Between Center Terminal And Outside Terminal:
Between 0.290 inches and 0.310 inches
Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:
100.0 single section

NSN 5905-00-884-1455

Nonprecision Nonwire Wound Variable Resistor - Page 2 of 2



Power Dissi	oation	Rating	Per	Section	In	Watts:
I OWCI DISSI	Janon	· · · · · · · · · · · · · · · · · · ·		Occion	•••	matts.

0.333 free air single section

Resistance Tolerance Per Section In Percent:

-10.0/+10.0 single section

Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:

50.0 single section

Standard Taper Curve Per Section:

A single section

Terminal Type And Quantity:

3 connector, receptacle

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

No

Fiig:

A002a0