NSN 5905-00-889-5155

Inductive Wire Wound Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-889-5155

Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:
-0.2/+0.2
Electrical Resistance:
61.900 ohms
Resistance Tolerance In Percent:
-1.000/+1.000
Heat Sink Material:
Aluminum alloy
Heat Sink Length:
7.000 inches
Heat Sink Width:
5.000 inches
Heat Sink Height:
2.000 inches
Heat Sink Thickness:
0.040 inches
Ambient Tempurature In Deg Celsius At Full Rated Power:
25.0
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:
265.0
Inclosure Method:
iliciosule Metilou.
Encased
Encased
Encased Terminal Type:
Encased Terminal Type: Tab, solder lug
Encased Terminal Type: Tab, solder lug Terminal Length:
Encased Terminal Type: Tab, solder lug Terminal Length: 0.375 inches
Encased Terminal Type: Tab, solder lug Terminal Length: 0.375 inches Body Diameter:
Encased Terminal Type: Tab, solder lug Terminal Length: 0.375 inches Body Diameter: 0.875 inches
Encased Terminal Type: Tab, solder lug Terminal Length: 0.375 inches Body Diameter: 0.875 inches Mounting Bushing Length:
Encased Terminal Type: Tab, solder lug Terminal Length: 0.375 inches Body Diameter: 0.875 inches Mounting Bushing Length: 0.781 inches
Encased Terminal Type: Tab, solder lug Terminal Length: 0.375 inches Body Diameter: 0.875 inches Mounting Bushing Length: 0.781 inches Body Length:
Encased Terminal Type: Tab, solder lug Terminal Length: 0.375 inches Body Diameter: 0.875 inches Mounting Bushing Length: 0.781 inches Body Length: 0.812 inches
Encased Terminal Type: Tab, solder lug Terminal Length: 0.375 inches Body Diameter: 0.875 inches Mounting Bushing Length: 0.781 inches Body Length: 0.812 inches Power Dissipation Rating In Watts:
Encased Terminal Type: Tab, solder lug Terminal Length: 0.375 inches Body Diameter: 0.875 inches Mounting Bushing Length: 0.781 inches Body Length: 0.812 inches Power Dissipation Rating In Watts: 12.500 free air
Encased Terminal Type: Tab, solder lug Terminal Length: 0.375 inches Body Diameter: 0.875 inches Mounting Bushing Length: 0.781 inches Body Length: 0.812 inches Power Dissipation Rating In Watts: 12.500 free air Mounting Bushing Diameter:
Encased Terminal Type: Tab, solder lug Terminal Length: 0.375 inches Body Diameter: 0.875 inches Mounting Bushing Length: 0.781 inches Body Length: 0.812 inches Power Dissipation Rating In Watts: 12.500 free air Mounting Bushing Diameter: 0.625 inches
Encased Terminal Type: Tab, solder lug Terminal Length: 0.375 inches Body Diameter: 0.875 inches Mounting Bushing Length: 0.781 inches Body Length: 0.812 inches Power Dissipation Rating In Watts: 12.500 free air Mounting Bushing Diameter: 0.625 inches Style Designator:
Encased Terminal Type: Tab, solder lug Terminal Length: 0.375 inches Body Diameter: 0.875 inches Mounting Bushing Length: 0.781 inches Body Length: 0.812 inches Power Dissipation Rating In Watts: 12.500 free air Mounting Bushing Diameter: 0.625 inches Style Designator: Axial terminals one end

--

NSN 5905-00-889-5155

Inductive Wire Wound Fixed Resistor - Page 2 of 2



Demilitarization:

No

Fiig:

A001a0