NSN 5905-00-892-0043

Inductive Wire Wound Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-892-0043

| Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius: |
|--|
| -20.0/+20.0 |
| Electrical Resistance: |
| 330.000 ohms |
| Resistance Tolerance In Percent: |
| -5.000/+5.000 |
| Heat Sink Material: |
| Aluminum alloy |
| Heat Sink Length: |
| 12.000 inches |
| Heat Sink Width: |
| 12.000 inches |
| Heat Sink Thickness: |
| 0.059 inches |
| Ambient Tempurature In Deg Celsius At Full Rated Power: |
| 75.0 |
| Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: |
| 275.0 |
| Inclosure Method: |
| Encased |
| Terminal Type: |
| Tab, solder lug |
| Terminal Length: |
| 0.312 inches |
| Body Length: |
| 0.750 inches |
| Body Width: |
| 0.438 inches |
| Body Height: |
| 0.406 inches |
| Distance Between Centerlines Of Mounting Facilities Parallel To Body Length: |
| 0.562 inches |
| Power Dissipation Rating In Watts: |
| 6.000 free air |
| Mounting Hole Size: |
| 0.093 inches |
| Style Designator: |
| |
| Axial terminal (s) |
| Axial terminal (s) Reference Number Differentiating Characteristics: |
| |

N/a

NSN 5905-00-892-0043

Inductive Wire Wound Fixed Resistor - Page 2 of 2



| | | • • | | | |
|---|----|-----|-------------|----------|--|
| ш | ın | 10 | <i>(</i>)+ | Measure: | |
| | | | | | |

--

Demilitarization:

No

Fiig:

A001a0