Nonprecision Nonwire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-892-7187

# Section Quantity:

1

Body Style:

Cylindrical bushing mounted

# Body Diameter:

0.906 inches

## Shaft Diameter:

0.125 inches

#### Mounting Bushing Length:

0.250 inches

- **Body Length:**
- 0.375 inches

#### Shaft Style:

Round, slotted

#### Actuator Type:

Single shaft

# Nonturn Device Location:

At 9 oclock

#### Nonturn Device Radius:

0.375 inches

## Screw Thread Diameter:

0.375 inches

## Screw Thread Series Designator:

Unef

## Screw Thready Qty Per Inch (tpi):

32.0

#### **Mounting Method:**

Standard bushing

## **Electrical Resistance Per Section:**

20.000 kilohms single section

## Power Dissipation Rating Per Section In Watts:

0.25 free air single section

## **Resistance Tolerance Per Section In Percent:**

-30.0 to 30.0 single section

# Terminal Type And Quantity:

3 tab, solder lug

Shelf Life:

N/a

## Unit Of Measure:

--

#### Demilitarization:

No

# NSN 5905-00-892-7187

Nonprecision Nonwire Wound Variable Resistor - Page 2 of 2

Fiig: A002a0

