## NSN 5905-00-894-1605

Nonprecision Nonwire Wound Variable Resistor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5905-00-894-1605

Section Quantity:  Reliability Indicator: Not established  Electrical Resistance Per Section: 50.0 kilohms single section  Power Dissipation Rating Per Section In Watts: 2.0 free air single section  Resistance Tolerance Per Section In Percent: -10.0/+10.0 single section  Test Data Document:  81349-mil-r-94 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in spece excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain eand performance requirements and test conditions that are shown as "typical", "average", "", etc.).	
Reliability Indicator: Not established  Electrical Resistance Per Section: 50.0 kilohms single section  Power Dissipation Rating Per Section In Watts: 2.0 free air single section  Resistance Tolerance Per Section In Percent: -10.0/+10.0 single section  Test Data Document: 81349-mil-r-94 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in spece excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain excludes.	
Resistance Per Section:  50.0 kilohms single section  Power Dissipation Rating Per Section In Watts:  2.0 free air single section  Resistance Tolerance Per Section In Percent:  -10.0/+10.0 single section  Test Data Document:  81349-mil-r-94 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in spece excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain excludes.	
Electrical Resistance Per Section: 50.0 kilohms single section  Power Dissipation Rating Per Section In Watts: 2.0 free air single section  Resistance Tolerance Per Section In Percent: -10.0/+10.0 single section  Test Data Document: 81349-mil-r-94 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specience excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain excludes.	
Fower Dissipation Rating Per Section In Watts:  2.0 free air single section  Resistance Tolerance Per Section In Percent:  -10.0/+10.0 single section  Test Data Document:  81349-mil-r-94 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specence excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain excludes.	
Power Dissipation Rating Per Section In Watts:  2.0 free air single section  Resistance Tolerance Per Section In Percent:  -10.0/+10.0 single section  Test Data Document:  81349-mil-r-94 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in spece excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain excludes.	
2.0 free air single section  Resistance Tolerance Per Section In Percent: -10.0/+10.0 single section  Test Data Document: 81349-mil-r-94 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in spece excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain excludes.	
Resistance Tolerance Per Section In Percent: -10.0/+10.0 single section  Test Data Document: 81349-mil-r-94 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specent excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain excludes.	
-10.0/+10.0 single section <b>Test Data Document:</b> 81349-mil-r-94 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specential excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain excludes.	
Test Data Document: 81349-mil-r-94 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specential excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain excludes commercial catalogs.	
81349-mil-r-94 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specescludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain excludes commercial catalogs.	
excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain e	
	ification format;
and performance requirements and test conditions that are shown as "typical", "average", "", etc.).	nvironmental
Specification Data:	
81349-mil-r-94/4 government specification	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
No	
Fiig:	
A002a0	