NSN 5905-00-904-4919

Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-904-4919 **Section Quantity: Reliability Indicator:** Not established **Overall Length:** 2.251 inches **Body Diameter:** 1.125 inches **Shaft Diameter:** 0.124 inches **Shaft Length:** 1.063 inches **Mounting Bushing Length:** 0.250 inches **Body Length:** 1.188 inches **Shaft Style:** Round, slotted **Actuator Type:** Single shaft **Screw Thread Diameter:** 0.375 inches **Screw Thread Series Designator:** Unef Screw Thready Qty Per Inch (tpi): 32.0 **Mounting Method:** Standard bushing **Electrical Resistance Per Section:** 2.5 percent, rated amperes c and better industrial clears **Power Dissipation Rating Per Section In Watts:** 2.0 free air all sections

Resistance Tolerance Per Section In Percent: -5.0/+5.0 2nd section **Standard Taper Curve Per Section:** A 1st section **Terminal Type And Quantity:** 6 tab, solder lug Shelf Life: N/a **Unit Of Measure:**

NSN 5905-00-904-4919

Nonprecision Wire Wound Variable Resistor - Page 2 of 2



Demilitarization:

No

Fiig:

A002a0