## NSN 5905-00-904-6415

Precision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-904-6415

Section Quantity:						
1						
Reliability Indicator:						
Not established						
Shaft Diameter:						
0.250 inches						
Shaft Length:						
0.500 inches						
Mounting Bushing Length:						
0.500 inches						
Shaft Style:						
Round						
Actuator Type:						
Single shaft						
Screw Thread Diameter:						
0.375 inches						
Screw Thread Series Designator:						
Unef						
Screw Thready Qty Per Inch (tpi):						
32.0						
Mounting Method:						
Standard bushing						
Features Provided:						
Nonmetallic shaft						
Electrical Resistance Per Section:						
250.0 kilohms single section						
Function Conformity Tolerance Per Section:						
-0.50/+0.50 single section						
Power Dissipation Rating Per Section In Watts:						
3.0 free air single section						
Function Conformity Per Section:						
Single section independent linearity						
Resistance Tolerance Per Section In Percent:						
-5.0/+5.0 single section						
Function Characteristic Per Section:						
Single section linear						
Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:						
40.0 single section						
Terminal Type And Quantity:						
3 tab, solder lug						
Shelf Life:						
N/a						

## NSN 5905-00-904-6415

Precision Wire Wound Variable Resistor - Page 2 of 2



	• •				
In	18	<i>(</i> )+	МА	261	ıre:

--

Demilitarization:

No

Fiig:

A002a0