

View Online at https://aerobasegroup.com/nsn/5905-00-904-7020

Section Quantity: 1 **Body Style:** Cylindrical bushing mounted **Reliability Indicator:** Not established **Overall Length:** Between 1.637 inches and 1.739 inches **Body Diameter:** Between 0.484 inches and 0.516 inches Shaft Diameter: 0.093 inches Shaft Length: Between 0.657 inches and 0.719 inches Mounting Bushing Length: Between 0.265 inches and 0.297 inches **Body Length:** Between 0.980 inches and 1.020 inches **Overall Diameter:** Between 0.624 inches and 0.676 inches Shaft Style: Round, slotted Actuator Type: Single shaft Effective Electrical Rotation In Deg Angular Rotation: Between 3600.0 and 3610.0 Maximum Starting Torque: 0.60 inch-ounces Maximum Running Torque: 0.60 inch-ounces Maximum Stop Torque: 20.00 inch-ounces Shaft End Play: 0.005 inches Shaft Runout: 0.002 inches **Shaft Radial Play:** 0.003 inches **Screw Thread Diameter:** 0.250 inches **Screw Thread Series Designator:** Unef



Screw Thready Qty Per Inch (tpi): 32.0 **Terminal Location:** Radially positioned over less than half the circumference **Mounting Method:** Standard bushing **Electrical Resistance Per Section:** 5.0 kilohms single section **Rotary Actuator Travel In Angular Deg:** 3600.0 **Function Conformity Tolerance Per Section:** -0.20/+0.20 single section Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power: 125.0 single section **Power Dissipation Rating Per Section In Watts:** 1.0 free air single section **Function Conformity Per Section:** Single section independent linearity **Resistance Tolerance Per Section In Percent:** -5.0/+5.0 single section **Actuator Travel Control Feature:** Stops **Function Characteristic Per Section:** Single section linear Tempurature Coefficient Of Resistance Wire Per Section In Ppm Per Deg Celsius: -20.0/+20.0 single section Ambient Tempurature In Deg Celsius Per Section At Full Rated Power: 70.0 single section **Terminal Type And Quantity:** 3 turret Shelf Life: N/a Unit Of Measure: **Demilitarization:** No Fiig: A002a0