NSN 5905-00-905-5306

Section Quantity:

Reliability Indicator:

Not established

Overall Length:

Nonprecision Nonwire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-905-5306

0.921 inches
Shaft Diameter:
0.125 inches
Shaft Length:
0.875 inches
Overall Diameter:
0.875 inches
Shaft Style:
Round, flatted
Actuator Type:
Single shaft
Effective Electrical Rotation In Deg Angular Rotation:
345.0
Maximum Starting Torque:
0.80 inch-ounces
Mounting Method:
Clamp ring
Features Provided:
Nonmetallic shaft
Electrical Resistance Per Section:
6.0 kilohms all sections
Rotary Actuator Travel In Angular Deg:
360.0
Function Conformity Tolerance Per Section:
-0.50/+0.50 single section
Power Dissipation Rating Per Section In Watts:
0.5 free air single section
Function Conformity Per Section:
Single section independent linearity
Resistance Tolerance Per Section In Percent:
-10.0/+10.0 all sections
Actuator Travel Control Feature:
Continuous motion
Function Characteristic Per Section:
Single section linear
Terminal Type And Quantity:
6 tab, solder lug

NSN 5905-00-905-5306

Nonprecision Nonwire Wound Variable Resistor - Page 2 of 2



Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiia:

A002a0