NSN 5905-00-908-7245

Nonprecision Nonwire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-908-7245 **Section Quantity: Body Style:** Rectangular **Reliability Indicator:** Not established **Body Length:** 0.350 inches **Body Width:** 1.909 inches **Body Height:** 0.915 inches **Actuator Type:** Integral knob **Effective Electrical Rotation In Deg Angular Rotation:** 250.0 **Terminal Location:** Lower adjacent side single row **Mounting Method:** Tab **Electrical Resistance Per Section:** 500.0 percent, rated amperes c and better industrial clears **Rotary Actuator Travel In Angular Deg:** 250.0 Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power: 105.0 all sections **Power Dissipation Rating Per Section In Watts:** 0.75 free air all sections **Resistance Tolerance Per Section In Percent:** -30.0/+30.0 all sections **Actuator Travel Control Feature:** Ambient Tempurature In Deg Celsius Per Section At Full Rated Power: 70.0 all sections **Standard Taper Curve Per Section:** A all sections **Terminal Type And Quantity:** 9 tab, solder lug Shelf Life: N/a

Unit Of Measure:

NSN 5905-00-908-7245

Nonprecision Nonwire Wound Variable Resistor - Page 2 of 2



_		••	• -				
1	em		ゖっ	riz	2 †1	n	
_		ш	ıιa	114	au	VII	١.

No

Fiig:

A002a0