NSN 5905-00-911-2955

Precision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-911-2955

Section Quantity:
1
Body Style:
Cylindrical servo mounted
Reliability Indicator:
Not established
Pilot Diameter:
Between 2.8740 inches and 2.8750 inches
Pilot Length:
Between 0.0570 inches and 0.0670 inches
Undercut Diameter:
2.875 inches
Undercut Width:
Between 0.0680 inches and 0.0780 inches
Body Diameter:
Between 2.990 inches and 3.000 inches
Shaft Diameter:
Between 0.2494 inches and 0.2497 inches
Shaft Length:
Between 0.531 inches and 0.593 inches
Body Length:
0.650 inches
Mounting Lip Diameter:
Between 2.9900 inches and 3.0000 inches
Mounting Lip Depth:
Between 0.0570 inches and 0.0670 inches
Shaft Style:
Round
Shaft Bearing Type:
Bearing
Actuator Type:
Single shaft
Effective Electrical Rotation In Deg Angular Rotation:
360.0
Maximum Starting Torque:
1.90 inch-ounces
Maximum Running Torque:
1.00 inch-ounces
Terminal Location:
Radially positioned over more than half the circumference
Mounting Method:

Clamp ring

NSN 5905-00-911-2955

Precision Wire Wound Variable Resistor - Page 2 of 2



Features Provided:
Nonmetallic shaft
Electrical Resistance Per Section:
5.0 kilohms single section
Rotary Actuator Travel In Angular Deg:
360.0
Function Conformity Tolerance Per Section:
-0.25/+0.25 single section
Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:
150.0 single section
Power Dissipation Rating Per Section In Watts:
3.0 free air single section
Function Conformity Per Section:
Single section absolute linearity
Resistance Tolerance Per Section In Percent:
-3.0/+3.0 single section
Actuator Travel Control Feature:
Continuous motion
Function Characteristic Per Section:
Single section 360 degrees sine-cosine
Tempurature Coefficient Of Resistance Wire Per Section In Ppm Per Deg Celsius:
-20.0/+20.0 single section
Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:
70.0 single section
Terminal Type And Quantity:
6 turret
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:
No
Fiig:
A002a0