NSN 5905-00-912-8541

Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-912-8541 **Section Quantity: Body Style:** Rectangular w/mounting holes **Reliability Indicator:** Not established **Overall Length:** 0.657 inches **Terminal Length:** Between 0.172 inches and 0.202 inches **Overall Height:** Between 0.365 inches and 0.385 inches **Overall Width:** Between 0.130 inches and 0.150 inches **Mounting Hole Diameter:** Between 0.060 inches and 0.066 inches **Shaft Diameter:** Between 0.048 inches and 0.052 inches **Shaft Length:** 0.035 inches **Body Length:** Between 0.400 inches and 0.420 inches **Body Width:** Between 0.130 inches and 0.150 inches **Body Height:** Between 0.365 inches and 0.385 inches **Shaft Style:** Round, slotted **Actuator Type:** Single shaft **Maximum Starting Torque: Lateral Distance Between Mounting Hole Centers:**

7.50 inch-ounces **Center To Center Distance Between Terminals:** 0.200 inches Between 0.411 inches and 0.426 inches **Mounting Facility Quantity:** 2 **Terminal Location:** Rear end **Mounting Method:** Unthreaded hole

NSN 5905-00-912-8541

Nonprecision Wire Wound Variable Resistor - Page 2 of 2



Electrical Resistance Per Section:	
1.0 kilohms single section	
Rotary Actuator Travel In Angular Deg:	
360.0	
Center To Center Distance Between Center Terminal And Outside Terminal:	
0.100 inches	
Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:	
150.0 single section	
Power Dissipation Rating Per Section In Watts:	
1.0 free air single section	
Resistance Tolerance Per Section In Percent:	
-5.0/+5.0 single section	
Actuator Travel Control Feature:	
Continuous motion	
Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:	
50.0 single section	
Standard Taper Curve Per Section:	
A single section	
Terminal Type And Quantity:	
3 pin	
Shelf Life:	
N/a	
Unit Of Measure:	
	
Demilitarization:	
No	
Fiig:	
A002a0	