## NSN 5905-00-913-3589

Film Fixed Resistor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5905-00-913-3589

-50.0/+50.0  Electrical Resistance: 11.800 kilohms  Resistance Tolerance In Percent: -1.000/+1.000  Ambient Tempurature In Deg Celsius At Full Rated Power: 100.0  Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 150.0  Tempurature Range Of Tempurature Coefficient In Deg Celsius: -65.0/+145.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Diameter: 0.045 inches Body Length: 0.190 inches Power Dissipation Rating In Watts: 0.050 free air Style Designator: Axial terminal each end Shelf Life: N/a Unit Of Measure:	Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:
11.800 kilohms  Resistance Tolerance In Percent: -1.000/+1.000  Ambient Tempurature In Deg Celsius At Full Rated Power: 100.0  Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 150.0  Tempurature Range Of Tempurature Coefficient In Deg Celsius: -65.0/+145.0  Inclosure Method: Encapsulated  Terminal Type: Wire lead  Reliability Indicator: Not established  Body Diameter: 0.045 inches  Body Length: 0.190 inches  Power Dissipation Rating In Watts: 0.050 free air  Style Designator: Axial terminal each end  Shelf Life: N/a  Unit Of Measure:	
Resistance Tolerance In Percent: -1.000/+1.000 Ambient Tempurature In Deg Celsius At Full Rated Power: 100.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 150.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -65.0/+145.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Diameter: 0.045 inches Body Length: 0.190 inches Power Dissipation Rating In Watts: 0.050 free air Style Designator: Axial terminal each end Shelf Life: N/a Unit Of Measure:	Electrical Resistance:
-1.000/+1.000 Ambient Tempurature In Deg Celsius At Full Rated Power: 100.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 150.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -65.0/+145.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Diameter: 0.045 inches Body Length: 0.190 inches Power Dissipation Rating In Watts: 0.050 free air Style Designator: Axial terminal each end Shelf Life: N/a Unit Of Measure:	11.800 kilohms
Ambient Tempurature In Deg Celsius At Full Rated Power:  100.0  Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:  150.0  Tempurature Range Of Tempurature Coefficient In Deg Celsius:  -65.0/+145.0  Inclosure Method:  Encapsulated  Terminal Type:  Wire lead  Reliability Indicator:  Not established  Body Diameter:  0.045 inches  Body Length:  0.190 inches  Power Dissipation Rating In Watts:  0.050 free air  Style Designator:  Axial terminal each end  Shelf Life:  N/a  Unit Of Measure:	Resistance Tolerance In Percent:
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 150.0  Tempurature Range Of Tempurature Coefficient In Deg Celsius: -65.0/+145.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Diameter: 0.045 inches Body Length: 0.190 inches Power Dissipation Rating In Watts: 0.050 free air Style Designator: Axial terminal each end Shelf Life: N/a Unit Of Measure:	-1.000/+1.000
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 150.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -65.0/+145.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Diameter: 0.045 inches Body Length: 0.190 inches Power Dissipation Rating In Watts: 0.050 free air Style Designator: Axial terminal each end Shelf Life: N/a Unit Of Measure:	Ambient Tempurature In Deg Celsius At Full Rated Power:
Tempurature Range Of Tempurature Coefficient In Deg Celsius: -65.0/+145.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Diameter: 0.045 inches Body Length: 0.190 inches Power Dissipation Rating In Watts: 0.050 free air Style Designator: Axial terminal each end Shelf Life: N/a Unit Of Measure:	100.0
Tempurature Range Of Tempurature Coefficient In Deg Celsius: -65.0/+145.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Diameter: 0.045 inches Body Length: 0.190 inches Power Dissipation Rating In Watts: 0.050 free air Style Designator: Axial terminal each end Shelf Life: N/a Unit Of Measure:	Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:
-65.0/+145.0 Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Diameter: 0.045 inches Body Length: 0.190 inches Power Dissipation Rating In Watts: 0.050 free air Style Designator: Axial terminal each end Shelf Life: N/a Unit Of Measure:	150.0
Inclosure Method: Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Diameter: 0.045 inches Body Length: 0.190 inches Power Dissipation Rating In Watts: 0.050 free air Style Designator: Axial terminal each end Shelf Life: N/a Unit Of Measure:	Tempurature Range Of Tempurature Coefficient In Deg Celsius:
Encapsulated Terminal Type: Wire lead Reliability Indicator: Not established Body Diameter: 0.045 inches Body Length: 0.190 inches Power Dissipation Rating In Watts: 0.050 free air Style Designator: Axial terminal each end Shelf Life: N/a Unit Of Measure:	-65.0/+145.0
Terminal Type: Wire lead Reliability Indicator: Not established Body Diameter: 0.045 inches Body Length: 0.190 inches Power Dissipation Rating In Watts: 0.050 free air Style Designator: Axial terminal each end Shelf Life: N/a Unit Of Measure:	Inclosure Method:
Wire lead  Reliability Indicator: Not established  Body Diameter: 0.045 inches  Body Length: 0.190 inches  Power Dissipation Rating In Watts: 0.050 free air  Style Designator: Axial terminal each end  Shelf Life: N/a  Unit Of Measure:	Encapsulated
Reliability Indicator: Not established  Body Diameter: 0.045 inches  Body Length: 0.190 inches  Power Dissipation Rating In Watts: 0.050 free air  Style Designator: Axial terminal each end  Shelf Life: N/a  Unit Of Measure:	Terminal Type:
Not established  Body Diameter: 0.045 inches  Body Length: 0.190 inches  Power Dissipation Rating In Watts: 0.050 free air  Style Designator: Axial terminal each end  Shelf Life: N/a  Unit Of Measure:	Wire lead
Body Diameter:  0.045 inches  Body Length:  0.190 inches  Power Dissipation Rating In Watts:  0.050 free air  Style Designator:  Axial terminal each end  Shelf Life:  N/a  Unit Of Measure:	Reliability Indicator:
0.045 inches  Body Length: 0.190 inches  Power Dissipation Rating In Watts: 0.050 free air  Style Designator: Axial terminal each end  Shelf Life: N/a  Unit Of Measure:	Not established
Body Length:  0.190 inches  Power Dissipation Rating In Watts:  0.050 free air  Style Designator:  Axial terminal each end  Shelf Life:  N/a  Unit Of Measure:	Body Diameter:
0.190 inches  Power Dissipation Rating In Watts: 0.050 free air  Style Designator: Axial terminal each end  Shelf Life: N/a  Unit Of Measure:	0.045 inches
Power Dissipation Rating In Watts:  0.050 free air  Style Designator:  Axial terminal each end  Shelf Life:  N/a  Unit Of Measure:	Body Length:
0.050 free air  Style Designator:  Axial terminal each end  Shelf Life:  N/a  Unit Of Measure:	0.190 inches
Style Designator:  Axial terminal each end  Shelf Life:  N/a  Unit Of Measure:	Power Dissipation Rating In Watts:
Axial terminal each end  Shelf Life: N/a Unit Of Measure:	0.050 free air
Shelf Life: N/a Unit Of Measure:	Style Designator:
N/a Unit Of Measure:	Axial terminal each end
Unit Of Measure:	Shelf Life:
	N/a
	Unit Of Measure:
Description of the control of the co	
Demilitarization:	Demilitarization:
No	No
Fiig:	Fiig:
A001a0	A001a0