NSN 5905-00-914-9184

Noninductive Wire Wound Fixed Resistor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5905-00-914-9184

-20.0/+20.0 Electrical Resistance: 26.100 kilohms Resistance Tolerance In Percent: -0.100/+0.100 Ambient Tempurature In Deg Celsius At Full Rated Power:	
26.100 kilohms Resistance Tolerance In Percent: -0.100/+0.100 Ambient Tempurature In Deg Celsius At Full Rated Power:	
Resistance Tolerance In Percent: -0.100/+0.100 Ambient Tempurature In Deg Celsius At Full Rated Power:	
-0.100/+0.100 Ambient Tempurature In Deg Celsius At Full Rated Power:	
Ambient Tempurature In Deg Celsius At Full Rated Power:	
125.0	
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:	
145.0	
Tempurature Range Of Tempurature Coefficient In Deg Celsius:	
-65.0/+145.0	
Inclosure Method:	
Encapsulated	
Terminal Type:	
Wire lead	
Reliability Indicator:	
Not established	
Body Diameter:	
0.250 inches	
Body Length:	
0.312 inches	
Power Dissipation Rating In Watts:	
0.125 free air	
Style Designator:	
Axial terminals one end	
Test Data Document:	
81349-milr93/20 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification form	nat;
excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental	
and performance requirements and test conditions that are shown as "typical", "average", "", etc.).	
Shelf Life:	
N/a	
Unit Of Measure:	
	
Demilitarization:	
No	
Fiig:	
A001a0	