NSN 5905-00-917-3275

Precision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-917-3275

Section Quantity:
1
Body Style:
Rectangular
Reliability Indicator:
Not established
Thread Length:
1.750 inches
Overall Length:
21.062 inches
Shaft Diameter:
0.250 inches
Shaft Length:
2.000 inches
Body Length:
17.062 inches
Body Width:
1.000 inches
Body Height:
1.000 inches
Shaft Style:
Round, threaded
Actuator Type:
Single shaft
Longitudinal Actuator Travel:
2.0 inches
Longitudinal Actuator Effective Electrical Stroke Length:
13.375 inches
Terminal Location:
Lower adjacent side single row
Mounting Method:
Clamp
Electrical Resistance Per Section:
20.000 kilohms single section
Function Conformity Tolerance Per Section:
-0.20/+0.20 single section
Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:
150.0 single section
Power Dissipation Rating Per Section In Watts:
1.0 free air single section
Function Conformity Per Section:

Single section independent linearity

NSN 5905-00-917-3275

Precision Wire Wound Variable Resistor - Page 2 of 2



Fixed Tap Quantity Per Section:	
1 single section	
Tap Location Tolerance Per Section:	
4.0/+4.0 ohms single section	
Resistance Tolerance Per Section In Percent:	
1.0/+1.0 single section	
Tap Location From Ccw Terminal Per Section In Ohms:	
10000.0 single section	
Function Characteristic Per Section:	
Single section linear	
Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:	
70.0 single section	
Terminal Type And Quantity:	
4 tab, solder lug	
Shelf Life:	
N/a	
Unit Of Measure:	
-	
Demilitarization:	
No	
Fiig:	
M00200	