NSN 5905-00-924-1769

Precision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-924-1769 **Section Quantity:** 3 **Body Style:** Cylindrical bushing mounted **Reliability Indicator:** Not established **Overall Length:** 4.077 inches **Body Diameter:** 1.625 inches **Shaft Diameter:** 0.250 inches **Shaft Length:** 2.031 inches **Mounting Bushing Length:** 0.625 inches **Body Length:** 2.046 inches **Overall Diameter:** 1.874 inches **Shaft Style:** Round, slotted **Actuator Type:** Single shaft **Effective Electrical Rotation In Deg Angular Rotation:** 322.0 **Maximum Starting Torque:** 1.30 inch-ounces **Maximum Running Torque:** 0.95 inch-ounces **Screw Thread Diameter:** 0.375 inches **Screw Thread Series Designator:** Unef Screw Thready Qty Per Inch (tpi): 32.0 **Terminal Location:** Radially positioned over less than half the circumference **Mounting Method:**

Standard bushing

Electrical Resistance Per Section:

20.0 percent, rated amperes c and better select

NSN 5905-00-924-1769 Precision Wire Wound Variable Resistor - Page 2 of 2



Rotary Actuator Travel In Angular Deg:
360.0
Function Conformity Tolerance Per Section:
0.25/+0.25 all sections
Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:
35.0 all sections
Tempurature Coefficient Of Resistance Per Section In Ppm Per Deg Celsius:
150.0/+150.0 all sections
Power Dissipation Rating Per Section In Watts:
1.0 free air all sections and 3.5 heat sink all sections
Function Conformity Per Section:
All sections independent linearity
Resistance Tolerance Per Section In Percent:
5.0/+5.0 all sections
Actuator Travel Control Feature:
Continuous motion
Function Characteristic Per Section:
All sections linear
Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:
65.0 all sections
Test Data Document:
03538-7745728+003 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing
etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Terminal Type And Quantity:
9 solder stud
Shelf Life:
N/a
Unit Of Measure:
-
Demilitarization:
No
Filg:
A002a0