

View Online at <https://aerobasegroup.com/nsn/5905-00-931-0127>

Section Quantity:

1

Body Style:

Cylindrical

Reliability Indicator:

Not established

Body Diameter:

0.422 inches

Body Length:

Between 0.769 inches and 0.801 inches

Actuator Type:

Flush drive with slot-hole

Effective Electrical Rotation In Deg Angular Rotation:

Between 235.0 and 245.0

Maximum Starting Torque:

8.00 inch-ounces

Maximum Running Torque:

8.00 inch-ounces

Fragility Factor:

Moderately rugged

Terminal Location:

Front end

Mounting Method:

Flange

Features Provided:

Grounded contact arm

Cubic Measure:

0.112 cubic inches

Electrical Resistance Per Section:

1.2 kilohms single section

Rotary Actuator Travel In Angular Deg:

Between 235.0 and 245.0

Power Dissipation Rating Per Section In Watts:

1.5 free air single section

Resistance Tolerance Per Section In Percent:

-10.0/+10.0 single section

Standard Taper Curve Per Section:

A single section

Special Features:

Screwdriver slot adjustment

Terminal Type And Quantity:

1 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A002a0