NSN 5905-00-931-5928

Noninductive Wire Wound Fixed Resistor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5905-00-931-5928

empurature Coefficient Of Resistance In Ppm Per Deg Celsius:
0.0/+10.0
lectrical Resistance:
1.250 kilohms
esistance Tolerance In Percent:
0.250/+0.250
mbient Tempurature In Deg Celsius At Full Rated Power:
25.0
mbient Tempurature In Deg Celsius At Zero Percent Rated Power:
45.0
empurature Range Of Tempurature Coefficient In Deg Celsius:
55.0/+125.0
closure Method:
ncapsulated
erminal Type:
/ire lead
eliability Indicator:
ot established
ody Diameter:
275 inches
ody Length:
.375 inches
ower Dissipation Rating In Watts:
250 free air
tyle Designator:
xial terminals one end
est Data Document:
8818-b600011500 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing,
tc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) and 88818-c600011711
rawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any
pecification, standard or other document that may be referenced in a basic governing drawing)
helf Life:
/a
nit Of Measure:
emilitarization:
o
iig:
001a0