## NSN 5905-00-932-1431

Precision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-932-1431 **Section Quantity:** 1 **Body Style:** Cylindrical bushing mounted **Reliability Indicator:** Not established **Overall Length:** 2.375 inches **Terminal Length:** 0.469 inches **Body Diameter:** 1.562 inches **Shaft Diameter:** 0.248 inches **Shaft Length:** 1.625 inches **Mounting Bushing Length:** 0.375 inches **Body Length:** 0.750 inches **Overall Diameter:** 2.031 inches **Shaft Style:** Round, slotted **Shaft Bearing Type:** Bearing **Actuator Type:** Single shaft **Screw Thread Diameter:** 0.375 inches **Screw Thread Series Designator:** Screw Thready Qty Per Inch (tpi): 32.0 **Terminal Location:** Radially positioned over less than half the circumference **Mounting Method:** 

Standard bushing **Electrical Resistance Per Section:** 

50.000 kilohms single section

**Power Dissipation Rating Per Section In Watts:** 

3.0 free air single section

## NSN 5905-00-932-1431

Precision Wire Wound Variable Resistor - Page 2 of 2



## **Resistance Tolerance Per Section In Percent:**

-10.0/+10.0 single section

Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:

70.0 single section

**Terminal Type And Quantity:** 

3 tab, solder lug

Shelf Life:

N/a

**Unit Of Measure:** 

Demilitarization:

No

Fiig:

A002a0