## NSN 5905-00-932-2687

No

Inductive Wire Wound Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-932-2687

Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:
-260.0/+260.0
Electrical Resistance:
2.000 kilohms
Resistance Tolerance In Percent:
-5.000/+5.000
Fixed Tap Quantity:
1
Ambient Tempurature In Deg Celsius At Full Rated Power:
25.0
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:
350.0
Tempurature Range Of Tempurature Coefficient In Deg Celsius:
-55.0/+350.0
Inclosure Method:
Encapsulated
Terminal Type:
Ferrule
Reliability Indicator:
Not established
Terminal Length:
0.562 inches
Body Diameter:
1.312 inches
Body Length:
8.688 inches
Power Dissipation Rating In Watts:
168.000 free air
Section Resistance:
1.000 kilohms
Fixed Tap Terminal Type:
Tab, solder lug
Style Designator:
Axial terminal each end
Test Data Document:
81349-mil-r-26/1 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format;
excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental
and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Shelf Life:
N/a
Unit Of Measure:
<del></del>
Demilitarization:

## NSN 5905-00-932-2687

Inductive Wire Wound Fixed Resistor - Page 2 of 2



Fiig:

A001a0