## NSN 5905-00-941-1672

Inductive Wire Wound Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-941-1672

Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:
-400.0/+400.0
Electrical Resistance:
4.700 ohms
Resistance Tolerance In Percent:
-5.000/+5.000
Ambient Tempurature In Deg Celsius At Full Rated Power:
25.0 Archient Terrorusture In Dec Coleius At Zone Bersent Beted Bersen
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:
350.0
Tempurature Range Of Tempurature Coefficient In Deg Celsius:
-55.0/+350.0
Inclosure Method:
Encapsulated
Terminal Type:
Tab, solder lug
Reliability Indicator:
Not established
Terminal Length:
0.532 inches
Body Length:
Between 1.938 inches and 2.062 inches
Body Width:
1.187 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
Between 2.719 inches and 2.781 inches
Power Dissipation Rating In Watts:
31.000 free air
Terminal Width:
Between 0.172 inches and 0.265 inches
Mounting Hole Size:
Between 0.146 inches and 0.246 inches
Cubic Measure (non-core):
0.307 cubic inches
Unpackaged Unit Weight:
13.5 grams
Style Designator:
Terminals one edge
Test Data Document:
81349-mil-r-26 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format;

excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental

and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## **Specification Data:**

81349-mil-r-26/2 government specification

## NSN 5905-00-941-1672

Inductive Wire Wound Fixed Resistor - Page 2 of 2



She	lf Lif	e:	
N/a			
Unit	Of I	Vlea	asure:

Demilitarization:

No

Fiig:

A001a0