NSN 5905-00-941-1672

Inductive Wire Wound Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-941-1672

Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:
-400.0/+400.0
Electrical Resistance:
4.700 ohms
Resistance Tolerance In Percent:
-5.000/+5.000
Ambient Tempurature In Deg Celsius At Full Rated Power:
25.0 Archient Terrorusture In Dec Coleius At Zone Bersent Beted Bersen
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:
350.0
Tempurature Range Of Tempurature Coefficient In Deg Celsius:
-55.0/+350.0
Inclosure Method:
Encapsulated
Terminal Type:
Tab, solder lug
Reliability Indicator:
Not established
Terminal Length:
0.532 inches
Body Length:
Between 1.938 inches and 2.062 inches
Body Width:
1.187 inches
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:
Between 2.719 inches and 2.781 inches
Power Dissipation Rating In Watts:
31.000 free air
Terminal Width:
Between 0.172 inches and 0.265 inches
Mounting Hole Size:
Between 0.146 inches and 0.246 inches
Cubic Measure (non-core):
0.307 cubic inches
Unpackaged Unit Weight:
13.5 grams
Style Designator:
Terminals one edge
Test Data Document:
81349-mil-r-26 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format;

excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental

and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Specification Data:

81349-mil-r-26/2 government specification

NSN 5905-00-941-1672

Inductive Wire Wound Fixed Resistor - Page 2 of 2



She	lf Lif	e:	
N/a			
Unit	Of I	Vlea	asure:

Demilitarization:

No

Fiig:

A001a0