## NSN 5905-00-945-3609

Nonprecision Nonwire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-945-3609 **Section Quantity: Shaft Diameter:** 0.250 inches **Shaft Length:** 0.344 inches **Shaft Style:** Round Switch Type: Rotary **Switch Voltage Rating In Volts:** 125.0 **Actuator Type:** Single shaft **Nonturn Device Radius:** 0.437 inches **Switch Operating Position:** Start of rotation **Switch Contact Arrangement:** Double pole, single throw, normally open **Screw Thread Diameter:** 0.375 inches **Screw Thread Series Designator:** Unef Screw Thready Qty Per Inch (tpi): 32.0 **Mounting Method:** Standard bushing **Features Provided:** Switch **Electrical Resistance Per Section:** 100.000 percent, rated amperes c and better flooring **Power Dissipation Rating Per Section In Watts:** 0.25 7th secondary quality **Resistance Tolerance Per Section In Percent:** -20.0/+20.0 single section Shelf Life: N/a **Unit Of Measure:** 

**Demilitarization:** No

## NSN 5905-00-945-3609

Nonprecision Nonwire Wound Variable Resistor - Page 2 of 2



Fiig:

A002a0