## NSN 5905-00-948-5735

Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-948-5735

Section Quantity:
1
Body Style:
Rectangular w/mounting holes
Reliability Indicator:
Not established
Overall Length:
0.415 inches
Terminal Length:
Between 0.285 inches and 0.315 inches
Overall Height:
0.675 inches
Overall Width:
0.210 inches
Shaft Diameter:
0.090 inches
Shaft Length:
Between 0.020 inches and 0.060 inches
Body Length:
Between 0.360 inches and 0.390 inches
Body Width:
0.210 inches
Body Height:
Between 0.360 inches and 0.390 inches
Shaft Style:
Round, slotted
Actuator Type:
Single shaft
Center To Center Distance Between Terminals:
Between 0.180 inches and 0.220 inches
Lateral Distance Between Mounting Hole Centers:
0.200 inches
Terminal Location:
Lower adjacent side single row
Mounting Method:
Terminal
Electrical Resistance Per Section:
10.0 kilohms single section
Center To Center Distance Between Center Terminal And Outside Terminal:
Between 0.080 inches and 0.120 inches
Power Dissipation Rating Per Section In Watts:

1.0 free air single section

## NSN 5905-00-948-5735

Nonprecision Wire Wound Variable Resistor - Page 2 of 2



Resistance Tolerance Per Section In Percent:
-5.0/+5.0 single section
Standard Taper Curve Per Section:
A single section
Terminal Type And Quantity:
3 pin
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A002a0