NSN 5905-00-951-4032

Inductive Wire Wound Fixed Resistor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5905-00-951-4032

Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius: -30.0/+30.0 Electrical Resistance: 16.000 ohms Resistance Tolerance In Percent:
Electrical Resistance: 16.000 ohms Resistance Tolerance In Percent:
16.000 ohms Resistance Tolerance In Percent:
Resistance Tolerance In Percent:
-5.000/+5.000
Ambient Tempurature In Deg Celsius At Full Rated Power:
25.0
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:
275.0
Tempurature Range Of Tempurature Coefficient In Deg Celsius:
-55.0/+150.0
Inclosure Method:
Encapsulated
Terminal Type:
Wire lead
Reliability Indicator:
Not established
Body Diameter:
0.188 inches
Body Length:
0.188 inches
Power Dissipation Rating In Watts:
3.000 free air
Style Designator:
Axial terminal each end
Test Data Document:
13499-7475300 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.;
excludes any specification, standard or other document that may be referenced in a basic governing drawing) and 13499-7475399 drawing
(this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any
specification, standard or other document that may be referenced in a basic governing drawing) and 81349-milr26 specification (includes
engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs,
industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and
test conditions that are shown as "typical", "average", "", etc.).
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No No
Fiig:
A001a0