## NSN 5905-00-954-2224

**Fiig:** A001a0

Noninductive Wire Wound Fixed Resistor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5905-00-954-2224

Electrical Resistance: 1.500 kilohms Resistance Tolerance in Percent: -0.500/40.500 Ambient Tempurature in Deg Celsius At Full Rated Power: 125.0 Ambient Tempurature in Deg Celsius At Zero Percent Rated Power: 145.0 Ambient Tempurature Range Of Tempurature Coefficient in Deg Celsius: -6.50.4145.0 Inclosure Method: Encapsulated Terminal Type:	Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:
Electrical Resistance:  1.500 kiloloms  Resistance Tolerance in Percent:	
1.500 kilohms Resistance Tolerance in Percent: -0.500/40.500 Ambient Tempurature In Deg Celsius At Full Rated Power: 125.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 145.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -65.0/+145.0 Inclosure Method: Encapsulated Terminal Type: Tab, solder lug Reliability Indicator: Not established Terminal Length: 0.375 inches Body Diameter: 0.500 inches Body Jength: 0.500 inches Body Length: 0.500 inches Power Diasipation Rating in Watts: 0.250 free air Terminal Width: 0.188 inches Style Designator: Radial terminal each end Test Data Document: 81349-milr-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalingments and test conditions that are shown as "typical", "average", ", etc.). Specification Data: 81349-milr-93/15 government specification Shelf Lite: N/a Unit Of Measure:	
Resistance Tolerance in Percent: -0.500/40.500 Ambient Tempurature in Deg Celsius At Full Rated Power: 125.0 Ambient Tempurature in Deg Celsius At Zero Percent Rated Power: 145.0 Tempurature Range Of Tempurature Coefficient in Deg Celsius: -65.0/4145.0 Inclosure Method: Encapsulated Terminal Type: Tab. solder lug Reliability Indicator: Not established Terminal Length: 0.375 inches Body Diameter: 0.500 inches Body Diameter: 0.500 inches Body Length: 0.500 inches Flower Dissipation Rating in Watts: 0.250 free air Terminal Width: 0.185 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", ", etc.). Specification Data: 81349-mil93/15 government specification Shef Ittle: N/a Unit Of Measure:	
-0.500/4-0.500 Ambient Tempurature In Deg Celsius At Full Rated Power: 125.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 145.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -65.0/+145.0 Inclosure Method: Encapsulated Terminal Type: -71.0, solder lug Reliability Indicator: Not established Terminal Length: -0.375 inches Body Diameter: -0.500 inches Body Length: -0.500 inches Body Length: -0.500 inches Power Dissipation Rating In Watts: -0.500 inches Power Dissipation Rating In Watts: -0.500 inches Rotja Dissipation: -7.0 Radia terminal each end Terminal Width: -0.188 inches Style Designator: -7.0 Radia terminal each end Test Data Document: -7.0 Radia terminal each end Test Data Document: -7.0 Radia terminal each end Test Data Document: -7.0 Radia terminal each end -7.0 Radia terminal	
Ambient Tempurature In Deg Celsius At Full Rated Power: 125.0 Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 145.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius: -65.0/+145.0 Inclosure Method: Encapsulated Terminal Type: Tab, solder tug Reliability Indicator: Not established Terminal Length: 0.375 inches Body Diameter: 0.500 inches Body Length: 0.500 inches Power Dissipation Rating In Watts: 0.250 free air Terminal Width: 0.188 inches Style Designator: Radial terminal each end Test Data Document: 81349-milk-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", ", etc.). Specification Data: 81349-milk-93/15 government specification Shelf Life: N/a Unit Of Measure:	
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:  145.0 Tempurature Range Of Tempurature Coefficient In Deg Celsius:  -65.0/+145.0 Inclosure Method: Encapsulated Terminal Type: Tab, solder lug Reliability Indicator: Not established Terminal Length: 0.375 inches Body Diameter: 0.500 inches Body Length: 0.500 inches Body Length: 0.500 inches Solve Length: 0.500 inches Length: 0.700 i	
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:  145.0  Tempurature Range Of Tempurature Coefficient In Deg Celsius:  -65.0/+145.0  Inclosure Method:  Encapsulated  Terminal Type:  Tab. solder lug  Reliability Indicator:  Not established  Terminal Length:  0.375 inches  Body Jameter:  0.500 inches  Body Length:  0.500 inches  Power Dissipation Rating In Watts:  0.250 free air  Terminal Width:  0.188 inches  Style Designator:  Radial terminal each end  Test Data Document:  81349-mil93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data on certain environmental and performance requirements and test conditions that are shown as 'typical', 'average', '', etc.).  Specification Data:  81349-mil-r93/15 government specification  Shelf Life:  N/a  Unit Of Measure:	
Tempurature Range Of Tempurature Coefficient In Deg Celsius: -65.0/+145.0 Inclosure Method: Encapsulated Terminal Type: Tab, solder lug Reliability Indicator: Not established Terminal Length: 0.375 inches Body Diameter: 0.500 inches Body Diameter: 0.500 inches Body Length: 0.500 inches Power Dissipation Rating In Watts: 0.250 free air Terminal Width: 0.188 inches Style Designator: Radial terminal each end Test Data Document: 81349-milr-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-milr-93/15 government specification Na Unit Of Measure:	
Tempurature Range Of Tempurature Coefficient in Deg Celsius: -65.0/+145.0 Inclosure Method: Encapsulated Terminal Type: Tab, solder lug Reliability Indicator: Not established Terminal Length: 0.375 inches Body Diameter: 0.500 inches Body Diameter: 0.500 inches Body Length: 0.500 inches Power Dissipation Rating in Watts: 0.500 inches Terminal Width: 0.188 inches Style Designator: Radial terminal each end Test Data Document: 81349-milt-r93/ specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", ", etc.). Specification Data: 81349-milt-r93/15 government specification Na Unit Of Measure:	
-65.0/+145.0 Inclosure Method: Encapsulated Terminal Type: Tab, solder lug Reliability Indicator: Not established Terminal Length: 0.375 inches Body Diameter: 0.500 inches Body Length: 0.500 inches Power Dissipation Rating In Watts: 0.250 free air Terminal Width: 0.188 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", ", etc.). Specification Data: 81349-mil-r-93/15 government specification Shelf Life: N/a Unit Of Measure:	
Inclosure Method: Encapsulated Terminal Type: Tab, solder lug Reliability Indicator: Not established Terminal Length: 0.375 inches Body Diameter: 0.500 inches Body Diameter: 0.500 inches Body Length: 0.500 inches Body Length: 0.500 inches Solder lug Terminal Width: 0.188 inches Style Designator: Radial terminal each end Test Data Document: 81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", ", etc.). Specification Data: 81349-mil-r-93/15 government specification Shelf Life: N/a Unit Of Measure:	
Encapsulated Terminal Type: Tab, solder lug Reliability Indicator: Not established Terminal Length: 0.375 inches Body Diameter: 0.500 inches Body Length: 0.500 inches Body Length: 0.500 inches Body Length: 0.500 inches Fower Dissipation Rating In Watts: 0.250 free air Terminal Width: 0.188 inches Style Designator: Radial terminal each end Test Data Document: 81349-mill-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). Specification Data: 81349-mill-r-93/15 government specification Shelf Life: N/a Unit Of Measure:	
Terminal Type: Tab, solder lug  Reliability Indicator: Not established  Terminal Length: 0.375 inches  Body Diameter: 0.500 inches  Body Length: 0.500 inches  Power Dissipation Rating In Watts: 0.250 free air  Terminal Width: 0.188 inches  Style Designator: Radial terminal each end  Test Data Document: 81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).  Specification Data: 81349-mil-r-93/15 government specification Shelf Life: N/a Unit Of Measure:	
Tab, solder lug  Reliability Indicator:  Not established  Terminal Length: 0.375 inches  Body Diameter: 0.500 inches  Body Length: 0.500 inches  Power Dissipation Rating In Watts: 0.256 free air  Terminal Width: 0.188 inches  Style Designator: Radial terminal each end  Test Data Document: 81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).  Specification Data: 81349-mil-r-93/15 government specification  Shelf Life: N/a  Unit Of Measure:	
Reliability Indicator: Not established  Terminal Length: 0.375 inches  Body Diameter: 0.500 inches  Body Length: 0.500 inches  Body Length: 0.500 inches  Power Dissipation Rating In Watts: 0.250 free air  Terminal Width: 0.188 inches  Style Designator: Radial terminal each end  Test Data Document: 81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", **, etc.).  Specification Data: 81349-mil-r-93/15 government specification  Shelf Life: N/a  Unit Of Measure:	
Not established  Terminal Length: 0.375 inches  Body Diameter: 0.500 inches  Body Length: 0.500 inches  Body Length: 0.500 inches  Power Dissipation Rating In Watts: 0.250 free air  Terminal Width: 0.188 inches  Style Designator: Radial terminal each end  Test Data Document: 81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", ", etc.).  Specification Data: 81349-mil-r-93/15 government specification  Shelf Life: N/a  Unit Of Measure:	•
Terminal Length:  0.375 inches  Body Diameter:  0.500 inches  Body Length:  0.500 inches  Body Length:  0.500 inches  Power Dissipation Rating In Watts:  0.250 free air  Terminal Width:  0.188 inches  Style Designator:  Radial terminal each end  Test Data Document:  81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).  Specification Data:  81349-mil-r-93/15 government specification  Shelf Life:  N/a  Unit Of Measure:	
0.375 inches  Body Diameter: 0.500 inches  Body Length: 0.500 inches  Power Dissipation Rating In Watts: 0.250 free air  Terminal Width: 0.188 inches  Style Designator: Radial terminal each end  Test Data Document: 81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).  Specification Data: 81349-mil-r-93/15 government specification  Shelf Life: N/a  Unit Of Measure:	
Body Diameter:  0.500 inches  Body Length:  0.500 inches  Power Dissipation Rating In Watts:  0.250 free air  Terminal Width:  0.188 inches  Style Designator:  Radial terminal each end  Test Data Document:  81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).  Specification Data:  81349-mil-r-93/15 government specification  Shelf Life:  N/a  Unit Of Measure:	
Body Length: 0.500 inches  Power Dissipation Rating In Watts: 0.250 free air  Terminal Width: 0.188 inches  Style Designator: Radial terminal each end  Test Data Document: 81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).  Specification Data: 81349-mil-r-93/15 government specification  Shelf Life: N/a Unit Of Measure:	
Body Length:  0.500 inches  Power Dissipation Rating In Watts:  0.250 free air  Terminal Width:  0.188 inches  Style Designator:  Radial terminal each end  Test Data Document:  81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).  Specification Data:  81349-mil-r-93/15 government specification  Shelf Life:  N/a  Unit Of Measure:	
0.500 inches  Power Dissipation Rating In Watts: 0.250 free air  Terminal Width: 0.188 inches  Style Designator: Radial terminal each end  Test Data Document: 81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).  Specification Data: 81349-mil-r-93/15 government specification  Shelf Life: N/a  Unit Of Measure:	
Power Dissipation Rating In Watts:  0.250 free air  Terminal Width:  0.188 inches  Style Designator:  Radial terminal each end  Test Data Document:  81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).  Specification Data:  81349-mil-r-93/15 government specification  Shelf Life:  N/a  Unit Of Measure:	
0.250 free air  Terminal Width: 0.188 inches  Style Designator:  Radial terminal each end  Test Data Document:  81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).  Specification Data:  81349-mil-r-93/15 government specification  Shelf Life:  N/a  Unit Of Measure:	
Terminal Width:  0.188 inches  Style Designator: Radial terminal each end  Test Data Document: 81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).  Specification Data: 81349-mil-r-93/15 government specification  Shelf Life: N/a  Unit Of Measure:	
O.188 inches  Style Designator:  Radial terminal each end  Test Data Document:  81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).  Specification Data:  81349-mil-r-93/15 government specification  Shelf Life:  N/a  Unit Of Measure:	
Style Designator: Radial terminal each end Test Data Document: 81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).  Specification Data: 81349-mil-r-93/15 government specification Shelf Life: N/a Unit Of Measure:	
Radial terminal each end  Test Data Document:  81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).  Specification Data:  81349-mil-r-93/15 government specification  Shelf Life:  N/a  Unit Of Measure:	
Test Data Document:  81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).  Specification Data:  81349-mil-r-93/15 government specification  Shelf Life:  N/a  Unit Of Measure:	
81349-mil-r-93 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).  Specification Data:  81349-mil-r-93/15 government specification  Shelf Life:  N/a  Unit Of Measure:	
excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).  Specification Data:  81349-mil-r-93/15 government specification  Shelf Life:  N/a  Unit Of Measure:	
and performance requirements and test conditions that are shown as "typical", "average", "", etc.).  Specification Data:  81349-mil-r-93/15 government specification  Shelf Life:  N/a  Unit Of Measure:	excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental
Specification Data: 81349-mil-r-93/15 government specification Shelf Life: N/a Unit Of Measure:	
Shelf Life:  N/a Unit Of Measure:	
Shelf Life:  N/a Unit Of Measure:	
Unit Of Measure:	
	N/a
Demilitarization:	Unit Of Measure:
Demilitarization:	<del></del>
	Demilitarization:
No	No