## NSN 5905-00-968-4337

Precision Wire Wound Variable Resistor - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/5905-00-968-4337 **Section Quantity: Body Style:** Cylindrical servo mounted **Reliability Indicator:** Not established **Pilot Diameter:** 1.3120 inches Pilot Length: 0.0620 inches **Overall Length:** 4.858 inches **Undercut Diameter:** 1.312 inches **Undercut Width:** 0.0730 inches **Body Diameter:** 1.442 inches **Shaft Diameter:** 0.187 inches **Shaft Length:** 0.750 inches **Body Length:** 3.670 inches **Overall Diameter:** 1.442 inches **Mounting Lip Diameter:** 1.4420 inches **Mounting Lip Depth:** 0.0930 inches **Shaft Style:** Round Switch Type: Rotary Switch Voltage Rating In Volts: 125.0 **Contact Arm Electrical Off Position:** Fully ccw-cw

**Actuator Type:** 

Double ended shaft

**Effective Electrical Rotation In Deg Angular Rotation:** 

270.0

NSN 5905-00-968-4337 Precision Wire Wound Variable Resistor - Page 2 of 3



Maximum Starting Torque:
72.00 inch-ounces
Maximum Running Torque:
210.00 inch-ounces
Shaft End Play:
0.005 inches
Shaft Radial Play:
0.002 inches
Switch Operating Position:
Start of rotation
Switch Contact Arrangement:
Single pole, single throw, normally open, both positions maintained
Terminal Location:
Radially positioned over less than half the circumference
Mounting Method:
Clamp ring
Features Provided:
Switch
Electrical Resistance Per Section:
25.0 kilohms all sections
Rotary Actuator Travel In Angular Deg:
360.0
Function Conformity Tolerance Per Section:
-3.00/+3.00 all sections
Power Dissipation Rating Per Section In Watts:
1.0 free air all sections
Function Conformity Per Section:
All sections proportional conformity
Resistance Tolerance Per Section In Percent:
-5.0/+5.0 all sections
Actuator Travel Control Feature:
Continuous motion
Function Characteristic Per Section:
All sections 90 degrees sine
Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:
55.0 all sections
Switch Current Type And Rating In Amps:
3.000 ac
Terminal Type And Quantity:
16 solder stud
Shelf Life:
N/a
Unit Of Measure:

## NSN 5905-00-968-4337

Precision Wire Wound Variable Resistor - Page 3 of 3



Demilitarization:

No

Fiig:

A002a0