## NSN 5905-00-969-2463

Inductive Wire Wound Fixed Resistor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5905-00-969-2463

| Electrical Resistance:   |
|--|
| 25.000 ohms  |
| Resistance Tolerance In Percent:   |
| -10.000 to 10.000  |
| Ambient Tempurature In Deg Celsius At Full Rated Power:  |
| 50.0   |
| Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:  |
| 350.0  |
| Inclosure Method:  |
| Encapsulated   |
| Terminal Type:   |
| Tab w/screw  |
| Reliability Indicator:   |
| Not established  |
| Terminal Length:   |
| 0.812 inches   |
| Body Length:   |
| 4.000 inches   |
| Power Dissipation Rating In Watts:   |
| 60.000 free air  |
| Err Default:   |
| 0.312 inches   |
| Style Designator:  |
| Radial terminal each end   |
| Test Data Document:  |
| 81349-milr15109 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification |
| format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain        |
| environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).                          |
| Shelf Life:  |
| N/a  |
| Unit Of Measure:   |
| <del></del>  |
| Demilitarization:  |
| No   |
| Fiig:  |
| A001a0   |
|  |