NSN 5905-00-969-3488

Wire Wound Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-969-3488

| Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius: |
|---|
| -20.0/+20.0 |
| Electrical Resistance: |
| 3.000 kilohms |
| Resistance Tolerance In Percent: |
| -0.050/+0.050 |
| Ambient Tempurature In Deg Celsius At Full Rated Power: |
| 125.0 |
| Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: |
| 145.0 |
| Tempurature Range Of Tempurature Coefficient In Deg Celsius: |
| -55.0/+145.0 |
| Inclosure Method: |
| Encapsulated |
| Terminal Type: |
| Wire lead |
| Reactance Characteristic: |
| Inductive |
| Reliability Indicator: |
| Not established |
| Terminal Length: |
| 2.000 inches |
| Body Diameter: |
| 0.375 inches |
| Body Length: |
| 0.500 inches |
| Power Dissipation Rating In Watts: |
| 0.250 free air |
| Cubic Measure (non-core): |
| 0.055 cubic inches |
| Unpackaged Unit Weight: |
| 1.500 grams |
| Special Test Features: |
| Navord od42046 |
| Style Designator: |
| Axial terminal each end |
| Reference Number Differentiating Characteristics: |
| As differentiated by special test features |
| Shelf Life: |
| N/a |
| Unit Of Measure: |

--

NSN 5905-00-969-3488

Wire Wound Fixed Resistor - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A001a0