## NSN 5905-00-972-4680

Inductive Wire Wound Fixed Resistor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5905-00-972-4680

Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius: -30.0/+30.0  Electrical Resistance: 1.740 kilohms  Resistance Tolerance In Percent: -1.000/+1.000  Ambient Tempurature In Deg Celsius At Full Rated Power:	
1.740 kilohms  Resistance Tolerance In Percent: -1.000/+1.000  Ambient Tempurature In Deg Celsius At Full Rated Power:	
Resistance Tolerance In Percent: -1.000/+1.000 Ambient Tempurature In Deg Celsius At Full Rated Power:	
-1.000/+1.000 Ambient Tempurature In Deg Celsius At Full Rated Power:	
Ambient Tempurature In Deg Celsius At Full Rated Power:	
25.0	
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:	
275.0	
Tempurature Range Of Tempurature Coefficient In Deg Celsius:	
-55.0/+275.0	
Inclosure Method:	
Encapsulated	
Terminal Type:	
Wire lead	
Reliability Indicator:	
Not established	
Body Diameter:	
0.094 inches	
Body Length:	
0.406 inches	
Power Dissipation Rating In Watts:	
1.000 free air	
Style Designator:	
Axial terminal each end	
Test Data Document:	
81349-milr26/5 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification form	at;
excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental	
and performance requirements and test conditions that are shown as "typical", "average", "", etc.).	
Shelf Life:	
N/a	
Unit Of Measure:	
Demilitarization:	
No	
Fiig:	
A001a0	