Precision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-975-9838

# Section Quantity:

1

## Actuator Type:

Integral knob with counter

## Effective Electrical Rotation In Deg Angular Rotation:

3600.0

## Maximum Starting Torque:

3.00 inch-ounces

## Maximum Running Torque:

3.00 inch-ounces

#### Terminal Location:

Upper adjacent side single row

## Electrical Resistance Per Section:

100.000 ohms single section

## **Rotary Actuator Travel In Angular Deg:**

3600.0

# Function Conformity Tolerance Per Section:

-0.10/+0.10 single section

## Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:

85.0 single section

## Power Dissipation Rating Per Section In Watts:

6.9 free air single section

## **Function Conformity Per Section:**

Single section independent linearity

## **Resistance Tolerance Per Section In Percent:**

-1.0/+1.0 single section

## **Actuator Travel Control Feature:**

Stops

## **Function Characteristic Per Section:**

Single section linear

## Tempurature Coefficient Of Resistance Wire Per Section In Ppm Per Deg Celsius:

-20.0/+20.0 single section

# Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:

25.0 single section

# Special Features:

5.0 watt at 40.0 degrees c

# Terminal Type And Quantity:

4 binding post

Shelf Life:

N/a

## Unit Of Measure:

---



Demilitarization:

No

Fiig:

A002a0