Nonprecision Nonwire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-981-1946

# Section Quantity:

1

Body Style:

Rectangular

## **Reliability Indicator:**

Not established

### Body Length:

0.110 inches

#### **Body Width:**

0.300 inches

**Body Height:** 

#### 0.300 inches

Actuator Type:

#### Flush drive with slot-hole

#### Effective Electrical Rotation In Deg Angular Rotation:

360.0

## **Mounting Method:**

Terminal

#### **Electrical Resistance Per Section:**

500.0 ohms single section

## Rotary Actuator Travel In Angular Deg:

360.0

#### Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:

85.0 single section

#### Power Dissipation Rating Per Section In Watts:

0.05 free air single section

#### **Resistance Tolerance Per Section In Percent:**

-20.0/+20.0 single section

#### Actuator Travel Control Feature:

Continuous motion

# Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:

70.0 single section

# Standard Taper Curve Per Section:

A single section

# Terminal Type And Quantity:

3 tab, solder lug

# Shelf Life:

N/a

## Unit Of Measure:

--

### Demilitarization:

No

# NSN 5905-00-981-1946

Nonprecision Nonwire Wound Variable Resistor - Page 2 of 2

Fiig: A002a0

