NSN 5905-00-984-2785

Precision Wire Wound Variable Resistor - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/5905-00-984-2785 **Section Quantity:** 1 **Body Style:** Cylindrical servo mounted **Reliability Indicator:** Not established **Pilot Diameter:** Between 2.8740 inches and 2.8750 inches Pilot Length: 0.0620 inches **Overall Length:** 1.828 inches **Undercut Diameter:** 2.875 inches **Undercut Width:** 0.0780 inches **Body Diameter:** 3.000 inches **Shaft Diameter:** Between 0.2495 inches and 0.2498 inches **Shaft Length:** 0.875 inches **Body Length:** 0.953 inches **Overall Diameter:** 3.250 inches **Mounting Lip Diameter:** 3.0000 inches **Mounting Lip Depth:** 0.0930 inches **Shaft Style:** Round **Shaft Bearing Type:** Ball **Actuator Type:** Single shaft **Effective Electrical Rotation In Deg Angular Rotation:** 357.0 **Maximum Starting Torque:**

1.00 inch-ounces

Maximum Running Torque:

1.00 inch-ounces

NSN 5905-00-984-2785

Precision Wire Wound Variable Resistor - Page 2 of 3



Shaft End Play:
0.003 inches
Shaft Runout:
0.001 inches
Lateral Runout:
0.002 inches
Pilot Diameter Runout:
0.0015 inches
Shaft Radial Play:
0.001 inches
Terminal Location:
Radially positioned over less than half the circumference
Mounting Method:
Clamp ring
Features Provided:
Nonmetallic shaft
Electrical Resistance Per Section:
20.0 kilohms single section
Rotary Actuator Travel In Angular Deg:
360.0
Function Conformity Tolerance Per Section:
-0.25/+0.25 single section
Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:
105.0 single section
Power Dissipation Rating Per Section In Watts:
6.0 free air single section
Function Conformity Per Section:
Single section independent linearity
Resistance Tolerance Per Section In Percent:
-5.0/+5.0 single section
Actuator Travel Control Feature:
Continuous motion
Function Characteristic Per Section:
Single section linear
Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:
40.0 single section
Terminal Type And Quantity:
3 turret
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No

NSN 5905-00-984-2785

Precision Wire Wound Variable Resistor - Page 3 of 3



Fiig:

A002a0