

View Online at <https://aerobasegroup.com/nsn/5905-00-990-6805>

**Section Quantity:**

2

**Reliability Indicator:**

Not established

**First Flat Length:**

0.280 inches

**Flat Height:**

0.080 inches

**Shaft Diameter:**

Between 0.125 inches and 0.250 inches

**Shaft Length:**

Between 0.910 inches and 1.340 inches

**Shaft Style:**

Round

**Actuator Type:**

Dual concentric

**Nonturn Device Location:**

At 9 oclock

**Nonturn Device Radius:**

0.531 inches

**Screw Thread Diameter:**

0.375 inches

**Screw Thread Series Designator:**

Unef

**Screw Thready Qty Per Inch (tpi):**

32.0

**Mounting Method:**

Standard bushing

**Electrical Resistance Per Section:**

5.0 percent, rated amperes c and better industrial clears

**Power Dissipation Rating Per Section In Watts:**

3.0 7th secondary finish

**Resistance Tolerance Per Section In Percent:**

-5.0/+5.0 2nd section

**Standard Taper Curve Per Section:**

A all sections

**Terminal Type And Quantity:**

6 tab, solder lug

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A002a0