## NSN 5905-00-994-0323

Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-994-0323

View Online at https://aerobasegroup.com/nsn/5905-00-994-0323
Section Quantity:
1
Body Style:
Rectangular w/mounting holes/slots
Reliability Indicator:
Not established
Overall Length:
Between 1.290 inches and 1.350 inches
Overall Height:
Between 0.315 inches and 0.325 inches
Overall Width:
Between 0.175 inches and 0.205 inches
Mounting Hole Diameter:
Between 0.083 inches and 0.093 inches
Shaft Diameter:
Between 0.105 inches and 0.115 inches
Shaft Length:
Between 0.055 inches and 0.085 inches
Body Length:
Between 1.235 inches and 1.265 inches
Body Width:
Between 0.175 inches and 0.205 inches
Body Height:
Between 0.315 inches and 0.325 inches
Shaft Style:
Round, slotted
Actuator Type:
Single shaft
Lateral Distance Between Mounting Hole Centers:
Between 0.985 inches and 1.015 inches
Mounting Facility Quantity:
2
Terminal Location:
Rear end
Mounting Method:
Unthreaded hole
Electrical Resistance Per Section:
25.0 kilohms single section
Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:
175.0 single section
Tempurature Coefficient Of Resistance Per Section In Ppm Per Deg Celsius:

-70.0/+70.0 single section

## NSN 5905-00-994-0323

Nonprecision Wire Wound Variable Resistor - Page 2 of 2



Power Diss	ipation	Rating	Per	Section	In	Watts:
------------	---------	--------	-----	---------	----	--------

1.0 free air single section

**Resistance Tolerance Per Section In Percent:** 

-5.0/+5.0 single section

Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:

70.0 single section

**Standard Taper Curve Per Section:** 

A single section

**Terminal Type And Quantity:** 

3 wire lead

Shelf Life:

N/a

**Unit Of Measure:** 

Demilitarization:

No

Fiig:

A002a0