Precision Nonwire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-00-994-4880

View Online at https://aerobasegroup.com/nsn/5905-00-994-4880
Section Quantity:
1
Body Style:
Cylindrical servo mounted
Reliability Indicator:
Not established
Pilot Diameter:
Between 1.8745 inches and 1.8750 inches
Pilot Length:
Between 0.0500 inches and 0.0700 inches
Overall Length:
2.045 inches
Undercut Diameter:
1.875 inches
Undercut Width:
Between 0.0500 inches and 0.0700 inches
Body Diameter:
2.000 inches
Shaft Diameter:
0.250 inches
Shaft Length:
1.060 inches
Body Length:
0.985 inches
Overall Diameter:
2.125 inches
Mounting Lip Diameter:
2.0000 inches
Mounting Lip Depth:
Between 0.0500 inches and 0.0700 inches
Shaft Style:
Round
Actuator Type:
Single shaft
Effective Electrical Rotation In Deg Angular Rotation:
300.0
Maximum Starting Torque:
0.30 inch-ounces
Maximum Running Torque:
0.30 inch-ounces
Terminal Location:
Dedially positioned ever loss they half the size unformer

Radially positioned over less than half the circumference

NSN 5905-00-994-4880

Precision Nonwire Wound Variable Resistor - Page 2 of 2



Mounting Method:
Flange
Electrical Resistance Per Section:
5.0 kilohms single section
Rotary Actuator Travel In Angular Deg:
360.0
Function Conformity Tolerance Per Section:
-2.00/+2.00 single section
Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:
150.0 single section
Power Dissipation Rating Per Section In Watts:
1.0 free air single section
Function Conformity Per Section:
Single section independent linearity
Resistance Tolerance Per Section In Percent:
-0.0/+20.0 single section
Actuator Travel Control Feature:
Continuous motion
Function Characteristic Per Section:
Single section equation
Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:
85.0 single section
Special Features:
50 degrees mech overtravel
Test Data Document:
89661-788c298 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.;
excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Terminal Type And Quantity:
3 turret
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Filg:
A002a0