

View Online at https://aerobasegroup.com/nsn/5905-00-998-2258

Sec	tion Quantity:
1	
Ονε	erall Length:
2.06	53 inches
Sha	ft Diameter:
0.25	50 inches
Sha	Ift Length:
0.25	50 inches
Μοι	unting Bushing Length:
0.25	50 inches
Ονε	erall Diameter:
1.81	13 inches
Sha	ift Style:
Rou	Ind
Act	uator Type:
Sinç	gle shaft
Effe	ective Electrical Rotation In Deg Angular Rotation:
360	0.0
Max	kimum Starting Torque:
2.00) inch-ounces
Max	kimum Running Torque:
0.20) inch-ounces
Scr	ew Thread Diameter:
0.37	75 inches
Scr	ew Thread Series Designator:
Une	of
Scr	ew Thready Qty Per Inch (tpi):
32.0)
Мо	unting Method:
Star	ndard bushing
Elec	ctrical Resistance Per Section:
50.0	000 kilohms single section
Fun	action Conformity Tolerance Per Section:
-0.2	5/+0.25 single section
Pov	ver Dissipation Rating Per Section In Watts:
3.0	free air single section
Fun	action Conformity Per Section:
Sing	gle section independent linearity
Res	sistance Tolerance Per Section In Percent:
-3.0	/+3.0 single section
Am	bient Tempurature In Deg Celsius Per Section At Full Rated Pow

40.0 single section



Terminal Type And Quantity:

3 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A002a0