Nonprecision Nonwire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-006-8524

# Section Quantity:

1

Body Style:

Rectangular

# **Reliability Indicator:**

Not established

#### **Overall Length:**

0.587 inches

#### Terminal Length:

0.312 inches

#### **Overall Height:**

0.250 inches

#### **Overall Width:**

0.180 inches

#### Body Length:

## 0.250 inches

## **Body Width:**

0.180 inches

# Body Height:

0.250 inches

#### Actuator Type:

Flush drive with slot-hole

#### Effective Electrical Rotation In Deg Angular Rotation:

220.0

#### **Center To Center Distance Between Terminals:**

0.200 inches

#### **Terminal Location:**

Right adjacent side single row

#### **Mounting Method:**

Terminal

#### **Electrical Resistance Per Section:**

200.0 ohms single section

#### Center To Center Distance Between Center Terminal And Outside Terminal:

0.100 inches

#### Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:

125.0 single section

## Tempurature Coefficient Of Resistance Per Section In Ppm Per Deg Celsius:

-100.0/+100.0 single section

# Power Dissipation Rating Per Section In Watts:

0.75 free air single section

## **Resistance Tolerance Per Section In Percent:**

-10.0/+10.0 single section



Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:

25.0 single section

Standard Taper Curve Per Section:

A single section

Terminal Type And Quantity:

3 pin

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A002a0