

View Online at https://aerobasegroup.com/nsn/5905-01-011-9191

Section Quantity:	
1	
Body Style:	
Rectangular	
Reliability Indicator:	
Established	
Reliability Failure Rate Level In Percent:	
1.000	
Overall Length:	
0.300 inches	
Terminal Length:	
0.172 inches	
Overall Height:	
0.422 inches	
Overall Width:	
0.165 inches	
Shaft Diameter:	
0.075 inches	
Shaft Length:	
0.050 inches	
Body Length:	
0.250 inches	
Body Width:	
0.165 inches	
Body Height:	
0.250 inches	
Shaft Style:	
Round, slotted	
Actuator Type:	
Single shaft	
Effective Electrical Rotation In Deg Angular Rot	ation:
Between 3600.0 and 9000.0	
Center To Center Distance Between Terminals:	
0.200 inches	
Fragility Factor:	
Moderately delicate	
Terminal Location:	
Lower adjacent side two rows	
Mounting Method:	
Terminal	
Center To Center Distance Between Terminal Re	ows:
0.100 inches	

NSN 5905-01-011-9191

Nonprecision Nonwire Wound Variable Resistor - Page 2 of 2



Features Provided:
Humidity proof
Electrical Resistance Per Section:
10.0 kilohms single section
Rotary Actuator Travel In Angular Deg:
Between 3600.0 and 9000.0
Center To Center Distance Between Center Terminal And Outside Terminal:
0.100 inches
Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:
150.0 single section
Tempurature Coefficient Of Resistance Per Section In Ppm Per Deg Celsius:
-100.0/+100.0 single section
Power Dissipation Rating Per Section In Watts:
0.25 free air single section
Resistance Tolerance Per Section In Percent:
-10.0/+10.0 single section
Actuator Travel Control Feature:
Clutch
Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:
85.0 single section
Standard Taper Curve Per Section:
A single section
Test Data Document:
81349-mil-r-39035 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Terminal Type And Quantity:
3 pin
Specification Data:
81349-mil-r-39035/3 government specification
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A002a0