Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-019-8438

Section Quantity:

1

- Body Style:
- Cylindrical w/readout
- Reliability Indicator:
- Not established
- **Overall Length:**
- 1.567 inches
- Body Diameter:
- 1.240 inches

Body Length:

- 0.640 inches
- **Overall Diameter:**
- 1.240 inches
- Actuator Type:
- Integral knob with counter
- Effective Electrical Rotation In Deg Angular Rotation:
- 3600.0
- **Fragility Factor:**
- Moderately delicate
- **Terminal Location:**
- Rear end
- **Mounting Method:**
- Snap-in
- **Electrical Resistance Per Section:**
- 20.0 percent, rated amperes c and better flooring
- Rotary Actuator Travel In Angular Deg:
- 3600.0
- Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:
- 85.0 single section
- **Power Dissipation Rating Per Section In Watts:**
- 1.5 7th secondary quality
- **Resistance Tolerance Per Section In Percent:**
- -5.0/+5.0 single section
- **Actuator Travel Control Feature:**
- Stops
- Tempurature Coefficient Of Resistance Wire Per Section In Ppm Per Deg Celsius:
- -20.0/+20.0 single section
- Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:
- 25.0 single section
- **Standard Taper Curve Per Section:**
- A single section

Nonprecision Wire Wound Variable Resistor - Page 2 of 2



Terminal Type And Quantity:

3 wire loop

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A002a0