## NSN 5905-01-020-2426

Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-020-2426 **Section Quantity: Reliability Indicator:** Not established First Flat Length: 0.344 inches Flat Height: 0.219 inches **Shaft Diameter:** 0.781 inches **Shaft Length:** 0.250 inches **Shaft Style:** Round, flatted **Actuator Type:** Single shaft **Mounting Facility Quantity: Terminal Location:** Radially positioned over less than half the circumference **Mounting Method:** Threaded hole **Electrical Resistance Per Section:** 30.0 ohms all sections Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power: 340.0 all sections **Power Dissipation Rating Per Section In Watts:** 25.0 free air all sections **Resistance Tolerance Per Section In Percent:** -10.0/+10.0 all sections Ambient Tempurature In Deg Celsius Per Section At Full Rated Power: 40.0 all sections **Standard Taper Curve Per Section:** A all sections **Terminal Type And Quantity:** 6 tab, solder lug Shelf Life: N/a **Unit Of Measure:** 

No

**Demilitarization:** 

## NSN 5905-01-020-2426

Nonprecision Wire Wound Variable Resistor - Page 2 of 2



Fiig:

A002a0