NSN 5905-01-021-1503

Nonprecision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-021-1503

Section Quantity:
1
Body Style:
Cylindrical w/readout
Reliability Indicator:
Not established
Pilot Diameter:
0.2500 inches
Body Diameter:
3.500 inches
Mounting Bushing Length:
0.500 inches
Body Length:
5.875 inches
Actuator Type:
Integral knob with counter
Effective Electrical Rotation In Deg Angular Rotation:
3600.0
Screw Thread Diameter:
0.250 inches
Screw Thread Series Designator:
Unef
Screw Thready Qty Per Inch (tpi):
32.0
Terminal Location:
Rear end
Mounting Method:
Standard bushing
Electrical Resistance Per Section:
500.0 ohms single section
Rotary Actuator Travel In Angular Deg:
9000.0
Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:
85.0 single section
Power Dissipation Rating Per Section In Watts:
1.5 free air single section
Resistance Tolerance Per Section In Percent:
-5.0/+5.0 single section
Actuator Travel Control Feature:
Clutch
Tempurature Coefficient Of Resistance Wire Per Section In Ppm Per Deg Celsius:

-20.0/+20.0 single section

NSN 5905-01-021-1503

No Fiig: A002a0

Nonprecision Wire Wound Variable Resistor - Page 2 of 2



Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:	
25.0 single section	
Standard Taper Curve Per Section:	
A single section	
Terminal Type And Quantity:	
3 wire loop	
Shelf Life:	
N/a	
Unit Of Measure:	
-	
Demilitarization:	