NSN 5905-01-022-6442

Nonprecision Nonwire Wound Variable Resistor - Page 1 of 3



View Online at https://aerobasegroup.com/nsn/5905-01-022-6442

Section Quantity:
1
Body Style:
Rectangular w/bushing
Reliability Indicator:
Not established
Shaft Diameter:
0.125 inches
Shaft Length:
0.563 inches
Mounting Bushing Length:
Between 0.234 inches and 0.266 inches
Body Length:
0.469 inches
Body Width:
Between 0.484 inches and 0.516 inches
Body Height:
Between 0.719 inches and 0.751 inches
Shaft Style:
Round
Switch Type:
Rotary
Switch Voltage Rating In Volts:
125.0
Contact Arm Electrical Off Position:
Fully ccw
Actuator Type:
Single shaft
Effective Electrical Rotation In Deg Angular Rotation:
275.0
Maximum Starting Torque:
3.00 inch-ounces
Maximum Running Torque:
3.00 inch-ounces
Maximum Stop Torque:
64.00 inch-ounces
Nonturn Device Location:
At 1 Oclock
Nonturn Device Radius:
0.245 inches
Mechanical Backlash In Deg Angular Rotation:

NSN 5905-01-022-6442

Nonprecision Nonwire Wound Variable Resistor - Page 2 of 3



Switch Operating Position:
Start of rotation
Switch Contact Arrangement:
Single pole, single throw, normally open, both positions maintained
Screw Thread Diameter:
Any acceptable
Screw Thread Series Designator:
Unc
Screw Thready Qty Per Inch (tpi):
Any acceptable
Terminal Location:
Rear-bottom
Mounting Method:
Standard bushing
Features Provided:
Switch
Electrical Resistance Per Section:
5.0 kilohms single section
Rotary Actuator Travel In Angular Deg:
Between 290.0 and 300.0
Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:
120.0 single section
Power Dissipation Rating Per Section In Watts:
0.5 free air single section
Resistance Tolerance Per Section In Percent:
-10.0/+10.0 single section
Actuator Travel Control Feature:
Stops
Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:
70.0 single section
Switch Current Type And Rating In Amps:
0.500 ac
Standard Taper Curve Per Section:
A single section
Unpackaged Unit Weight:
6.8 grams
Terminal Type And Quantity:
5 tab, solder lug
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:

No

NSN 5905-01-022-6442

Nonprecision Nonwire Wound Variable Resistor - Page 3 of 3



Fiig:

A002a0