

View Online at <https://aerobasegroup.com/nsn/5905-01-024-0376>

**Temperature Coefficient Of Resistance In Ppm Per Deg Celsius:**

-250.0/+250.0 second temp coefficient

**Electrical Resistance:**

3.920 kilohms

**Resistance Tolerance In Percent:**

-5.000/+5.000

**Ambient Temperature In Deg Celsius At Full Rated Power:**

70.0

**Ambient Temperature In Deg Celsius At Zero Percent Rated Power:**

125.0

**Tempurature Range Of Tempurature Coefficient In Deg Celsius:**

+0.0/+125.0

**Inclosure Method:**

Encapsulated

**Terminal Quantity:**

14

**Terminal Type:**

Tab, solder lug

**Reliability Indicator:**

Not established

**Terminal Length:**

Between 0.125 inches and 0.150 inches

**Body Diameter:**

Between 0.030 inches and 0.070 inches

**Body Length:**

Between 0.660 inches and 0.785 inches

**Body Width:**

0.310 inches

**Body Height:**

0.200 inches

**Schematic Diagram Designator:**

Ladder network

**Power Dissipation Rating In Watts:**

1.500 total network

**Terminal Width:**

Between 0.014 inches and 0.024 inches

**Identical Value Resistor Quantity:**

3 lowest resistance value3 highest resistance value1 1st intermediate resistance value1 2nd intermediate resistance value1 3rd intermediate resistance value

**Style Designator:**

Dual inline

**Test Data Document:**

87990-755090a0031 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A001a0