## NSN 5905-01-024-0377

Film Fixed Resistor Network - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-024-0377

Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:
-250.0/+250.0
Electrical Resistance:
22,000 kilohms
Resistance Tolerance In Percent:
-5.000/+5.000
Ambient Tempurature In Deg Celsius At Full Rated Power:
70.0
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:
125.0
Tempurature Range Of Tempurature Coefficient In Deg Celsius:
-55.0/+125.0
Inclosure Method:
Encapsulated
Terminal Quantity:
16
Terminal Type:
Tab, solder lug
Reliability Indicator:
Not established
Terminal Length:
Between 0.125 inches and 0.150 inches
Body Length:
Between 0.784 inches and 0.876 inches
Body Width:
Between 0.220 inches and 0.310 inches
Body Height:
0.200 inches
Schematic Diagram Designator:
Ladder network
Power Dissipation Rating In Watts:
1.500 total network
Terminal Width:
Between 0.014 inches and 0.200 inches
Identical Value Resistor Quantity:
3 lowest resistance value8 highest resistance value1 1st intermediate resistance value1 2nd intermediate resistance value
Special Features:
A notch or dot shall be located adjacent to terminal one
Style Designator:
Dual inline
Shelf Life:
N/a

## NSN 5905-01-024-0377

Film Fixed Resistor Network - Page 2 of 2



		• •			
ш	ın	10	<i>(</i> )+	Measure:	

--

Demilitarization:

No

Fiig:

A001a0