Nonprecision Nonwire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-025-6946

## Section Quantity:

1

Body Style:

Rectangular

## Reliability Indicator:

Not established

#### **Terminal Length:**

0.300 inches

#### Shaft Diameter:

0.075 inches

#### Shaft Length:

0.080 inches

#### **Body Length:**

0.375 inches

#### **Body Width:**

0.170 inches

# Body Height:

0.420 inches

# Shaft Style:

Round, slotted

# Actuator Type:

Single shaft

#### Maximum Running Torque:

5.00 inch-ounces

#### Center To Center Distance Between Terminals:

0.200 inches

#### **Terminal Location:**

Lower adjacent side single row

#### **Mounting Method:**

Terminal

#### **Electrical Resistance Per Section:**

500.000 ohms single section

#### Center To Center Distance Between Center Terminal And Outside Terminal:

0.100 inches

#### Ambient Tempurature In Deg Celsius Per Section At Zero Percent Rated Power:

150.0 single section

#### Tempurature Coefficient Of Resistance Per Section In Ppm Per Deg Celsius:

-100.0/+100.0 single section

### Power Dissipation Rating Per Section In Watts:

0.5 free air single section

#### **Resistance Tolerance Per Section In Percent:**

-10.0/+10.0 single section



Ambient Tempurature In Deg Celsius Per Section At Full Rated Power:

85.0 single section

Standard Taper Curve Per Section:

A single section

Terminal Type And Quantity:

3 pin

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A002a0