NSN 5905-01-030-9600

Noninductive Wire Wound Fixed Resistor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5905-01-030-9600

Tompurature Coefficient Of Recistones In Pom Per Dea Coloius
Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius: -15.0/+15.0
Electrical Resistance:
5.490 kilohms
Resistance Tolerance In Percent:
-0.200/+0.200 Ambient Tempurature In Dag Calains At Full Pated Bower
Ambient Tempurature In Deg Celsius At Full Rated Power: 125.0
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power: 145.0
Tempurature Range Of Tempurature Coefficient In Deg Celsius:
-65.0/+145.0
Inclosure Method:
Encapsulated Towns of
Terminal Type:
Wire lead
Reliability Indicator:
Established Polichility Follows Bota Level In Boroomt
Reliability Failure Rate Level In Percent:
1.0000
Terminal Length:
1.000 inches
Body Diameter:
0.130 inches
Body Length:
0.180 inches
Power Dissipation Rating In Watts:
0.050 free air
Style Designator:
Axial terminal each end
Test Data Document:
06481-912157 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.;
excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No Entransition of the Control of th
Fiig: