NSN 5905-01-038-7153

Precision Wire Wound Variable Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-038-7153 **Section Quantity: Body Style:** Cylindrical bushing mounted **Reliability Indicator:** Not established First Flat Length: 0.250 inches Flat Height: 0.105 inches **Body Diameter:** 1.062 inches **Shaft Diameter:** 0.1248 inches **Shaft Length:** 0.500 inches **Mounting Bushing Length:** 0.250 inches **Body Length:** 0.681 inches **Shaft Style:** Round, flatted **Actuator Type:** Single shaft **Effective Electrical Rotation In Deg Angular Rotation:** 80.0 **Screw Thread Diameter:** 0.375 inches **Screw Thread Series Designator:** Unef Screw Thready Qty Per Inch (tpi): 32.0 **Terminal Location:** Radially positioned over less than half the circumference **Mounting Method:** Standard bushing **Features Provided:**

Features Provided:
Humidity proof
Electrical Resistance Per Section:
4.571 kilohms single section
Resistance Tolerance Per Section In Percent:
-3.0/+3.0 single section

NSN 5905-01-038-7153

Precision Wire Wound Variable Resistor - Page 2 of 2



Terminal Type And Quantity:
3 binding post
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A002a0