## NSN 5905-01-041-4713

Inductive Wire Wound Fixed Resistor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5905-01-041-4713

Tompurature Coefficient Of Resistance In Dam Der Der Coloius		
Tempurature Coefficient Of Resistance In Ppm Per Deg Celsius:		
-50.0/+50.0		
Electrical Resistance:		
3.570 ohms		
Resistance Tolerance In Percent:		
-1.000/+1.000		
Ambient Tempurature In Deg Celsius At Full Rated Power:		
25.0		
Ambient Tempurature In Deg Celsius At Zero Percent Rated Power:		
275.0		
Tempurature Range Of Tempurature Coefficient In Deg Celsius: -55.0/+275.0		
Inclosure Method:		
Encased		
Terminal Type: Tab, solder lug		
Reliability Indicator:  Established		
Reliability Failure Rate Level In Percent: 0.010		
Terminal Length:		
0.266 inches		
Body Length: 0.600 inches		
Body Width: 0.334 inches		
Body Height:		
0.320 inches		
Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:		
0.444 inches		
Power Dissipation Rating In Watts:		
3.000 free air		
Terminal Width:		
0.085 inches		
Mounting Hole Size:		
0.093 inches		
Cubic Measure (non-core):		
0.064 cubic inches		
Unpackaged Unit Weight:		
3.000 grams		
Style Designator:		

Axial terminal (s)

## NSN 5905-01-041-4713

Inductive Wire Wound Fixed Resistor - Page 2 of 2



## **Test Data Document:**

81349-mil-r-39009 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## **Specification Data:**

81349-mil-r-39009/1	government :	specification
---------------------	--------------	---------------

Shelf Life:

N/a

**Unit Of Measure:** 

\_\_

Demilitarization:

No

Fiig:

A001a0